



# — PRODUCT DATA SHEET

## iW3R Spotlight 320 & Powerbank (Box)



iW3R

## PRODUCT DESCRIPTION

In the trades, long workdays are nothing new. And to ensure your smartphone lasts as long as its owner, a power bank is a necessity. The new iW3R is a tough, reliable power bank with the added bonus of a spotlight whose 320 lumen<sup>1</sup> light up dark areas whenever you need it. The iW3R makes quite the handy equipment in the trades, for handymen, construction workers or anybody looking for a reliable power bank with a built-in flashlight.

- Power bank with 4000 mAh battery capacity
- Flashlight with spotlight and 320 lumen<sup>1</sup> output
- Battery indicator
- Two dimmer settings
- Covered ports, dust- and waterproof with IP54 rating

**7**  
**YEAR**  
**WARRANTY<sup>4</sup>**

### TECHNICAL DATA

Width [mm]	122
Depth [mm]	32
Height [mm]	32
Weight incl. batteries [g]	143
Focus function	No
Primary material	ABS
Secondary material	Other plastics
Cartridge	No

### POWER SUPPLY

Power source type	Rechargeable battery
Battery quantity	1
Battery type	Li-ion
Battery replaceable	No
Total battery voltage [V]	3.7
Total battery capacity [mAh]	4000
Total battery energy <sup>2</sup> [Wh]	14.8
Rechargeable	Yes
Charging time <sup>5</sup> [min]	300
Charging technology	Internal
Energy status indicator	Battery Indicator, Charge Indicator

### FURTHER SPECIFICATIONS

IP class	IP54
Drop test (drop height) [m]	1
Working temperature range [°C]	-10 to +40

### LIGHT FUNCTIONS

Power, Low Power

### LIGHT SOURCE

Amount LEDs	1
LED type	High Power LED
Colour temperature [K]	5400 to 6600
Colour rendering index (CRI)	70

### LIGHT VALUES

	Boost	Power	Mid Power	Low Power
Light output <sup>1</sup> [lm]		320		30
Run time <sup>1</sup> [h]		3.5		40

### SWITCH

Switch

### TECHNOLOGIES

Power Bank Function

iW3R

## PACKAGING AND LOGISTICS



## PACKAGING INFORMATION

Type of packaging	Box
Scope of delivery	USB cable
Item No.	502173
Customs tariff number	8513100000
Colour	black

## SINGLE PACKAGE

Dimensions W x H x D [cm]	8.7 x 16.3 x 5.0
GTIN-13	4058205020176

## INNER CARTON

Unit	6
Dimensions W x D x H [cm]	18.1 x 15.8 x 17.2
GTIN-13	4058205020183

## EXPORT CARTON

Unit	24
Dimensions W x D x H [cm]	39.5 x 37.5 x 20.5
GTIN-13	4058205020190



## PRODUCT SERIES

### The Ledlenser i-Series Work lights & spotlights

Powerful performance! Ready whenever you need to illuminate the darkness of your workshop or construction site: the Ledlenser i-Series work lights & spotlights - durable multi-purpose lights for true professionals! Whether you use a single spotlight or floodlight with wide coverage, with these professional lights you always have the right type of light at your fingertips. Compact, powerful and rechargeable - each model impresses during everyday use.

---

## FOOTNOTES

The information pertaining to scope of delivery, appearance, performance, dimensions and weight corresponds to the information available at the time of publication. In the interest of product development, we reserve the right to change scope of delivery, appearance, design and color without prior notice. Product images may vary from the actual products and may show optional accessories which can be purchased separately. Errors and omissions excepted.

1) Measurements according to ANSI FL1 on the respective setting. Average values, in some cases, deviations by +/- 15 % may occur due to technical reasons. If no setting is explicitly indicated, the values refer to luminous flux (lumens/lm) and lighting range (meters/m) on the highest setting and to battery duration (hours/h) on the lowest setting. A boost function (if available) can be used several times, but only for short periods of time. If no setting is explicitly indicated, measurement is based on "energy saving mode."

2) Calculated capacity value in watt-hours (Wh). This applies to the delivery state of the battery/ies inside the respective item, or for lights with rechargeable battery/ies, to the rechargeable battery/ies inside the product when fully charged.

4) Warranty period of five years from the date of purchase, seven years if the product is registered online on our website. The warranty is valid worldwide and legal warranty rights also apply. It covers defects in materials and workmanship. For the proper functioning of rechargeable batteries a different warranty period of 24 months applies. Excluded from this warranty are the products of the "Solidline" series, Ledlenser K1 and Ledlenser K2. The warranty does not apply to defects in batteries, holsters, pouches, remote switches, color filters, imprints or surface coatings. The guarantor is Ledlenser GmbH & Co. KG, Kronenstr. 5 - 7, 42699 Solingen, Germany. More information: [ledlenser.com/warranty](http://ledlenser.com/warranty)

5) Charging time varies by hardware used.